




Little
Meadow

Disney

Mini Panel Quilts (Q-040)



Fabric requirements



Fabric A: 85270401 #1
1-3/8 yards



Fabric B: 214-0009 Pink Dust
(including binding)
5/8 yard



Backing Fabric : 85270403 #1
1-1/3 yards



Fabric A: 85270404 #1
1-3/8 yards



Fabric B: 214-0015 Marina
(including binding)
5/8 yard



Backing Fabric : 85270406 #1
1-1/3 yards

Exclusive Quilt Design: Camelot Design Studio

Fabric collection: The Mickey & Minnie: Little Meadow by Camelot Design Studio
from Camelot Fabrics. © Disney.

The direction of the fabrics in the digital imagery may not be accurate to the final product.



Blog, Facebook, Twitter @CamelotFabrics
Pinterest, YouTube & Instagram @Camelot_Fabrics
camelotfabrics.com • camelotfabricsblog.com
Toll-Free: 1-800-361-4120 • 514-382-2400
info@camelotfabrics.com • www.camelotfabrics.com



Panel: 85270408P #1



Panel: 85270410P #1

Finished size: 2 mini quilts of 39-1/2" x 43-1/4" each

OTHER TOOLS & SUPPLIES

- Needle and coordinating thread
- Sewing machine
- Iron & pressing surface
- Rotary cutter and mat
- Fabric shears
- Straight pins

NOTES

- For best results, read through all instructions before starting.
- Please wash, dry & iron your fabrics before beginning, and trim selvages.
- Unless otherwise indicated, sew all seams with a 1/4" seam allowance.
- Press your seams open as you go.
- WOF = width of fabric

CUTTING (Note: You will be piecing 2 quilts for which the cutting instructions are the same. The cutting instructions given below are for one quilt only. Be sure to repeat them for both quilts).

Panel

Cut out each individual "mini" panel. Trim each one to 17-1/2" x 21-1/4".

Fabric A

Cut (1) 11-1/2" x WOF strip. Trim to 39-1/2" long. This will be referred to as piece (a).

Cut (1) 7-1/2" x WOF strip. Trim to 39-1/2" long. This will be referred to as piece (b).

Cut (1) 24-3/4" x WOF strip. Sub-cut:

-(1) 11-1/2" x 24-3/4" rectangle. This will be referred to as piece (c).

-(1) 7-1/2" x 24-3/4" rectangle. This will be referred to as piece (d).

(Note: these last two cuts are made parallel to the selvedge, so that the direction of the print runs vertically)

Fabric B

Cut (8) 2-1/2" x WOF strips. Set (5) aside for binding. From the remaining strips, sub-cut:


-(2) 17-1/2" x 2-1/2" strips. These will be referred to as the short sashing strips.

-(2) 24-3/4 x 2-1/2" strips. These will be referred to as the long sashing strips.




PIECING (NOTE: refer to the Assembly Layout on p.4 or the cover photo for fabric placement).


1. Sew one short sashing strip to the top of each panel and one to the bottom.





2. Sew one long sashing strips to either side of both units created in Step 1.



3. Sew pieces (a) and (b) to either side of the units created in Step 2. Note: the pieces are sewn to different sides for each unit. Refer to the assembly layout or the cover photo for reference.



4. Sew one piece (a) to the top of each unit created in Step 3 and one piece (b) to the bottom. This completes the two quilt tops.




FINISHING

5. Layer the quilt top with batting and backing. Baste and quilt as desired.

6. Sew the Fabric B binding strips together end-to-end and press seams open. Bind the quilt using your favorite method.

ASSEMBLY LAYOUT

Quilt 1



Quilt 2

