

CAMELOT
FABRICS

FRESHLY MADE

Free
DIY!

Baby Top (A-016A)

Toll-Free: 1-800-361-4120 • 514-382-2400
info@camelotfabrics.com • camelotfabrics.com



Exclusive Project Design:
Made by Marion for Camelot Fabrics

nursery
PROGRAM

Bambino

- Skill Level: ●●●●●
- Approx. crafting time:
Afternoon project
- Final size:
Fits newborn to 3 months

Fabric Requirements

1/2 yd of Bambino Fabric in 21172403E #3

SUPPLIES


- 1/2 yd of Bambino (44" wide) from Camelot Fabrics in 9110001E #2
- paper printer
- basic sewing supplies:
 - sewing machine
 - needle & coordinating thread
 - iron & pressing surface
 - scissors & fabric shears
 - straight pins

NOTES

1. Please wash, dry & iron your fabric before beginning.
2. RST = right sides together.

CUTTING

1. Print the Baby Top template at 100% size. Measure the 2" / 5cm square to make sure the scale is correct. Trim along the marked borders and tape the pages together by matching up the numbered triangles. Cut out the pattern pieces.
2. Fold your Bambino as shown, so the (2) selvages meet at the center. Pin the pattern pieces to the fabric against the folds as indicated on the templates, and cut out the pieces in fabric.




ASSEMBLY

Note: this project is sewn using the Turn & Stitch method. For more information on this kind of seam, we have a tutorial right here:


<http://camelotfabrics.com/turn-stitch.html>

1. Fold & press a 1/4" hem along the shoulder edges of each piece as shown, Wrong Sides facing.



2. Sew the Front & Back pieces together at the shoulders with a 1/4" seam allowance (from the crease you made in Step 1), and press the seams open. The raw edges of the fabric should now be tucked against the seam.

3. Topstitch 1/8" from the shoulder seams on each side, enclosing the raw edges.



4. Fold & press the sides of the body inward by 1/4", Wrong Sides together, as you did at the shoulders.

5. Sew the Front & Back together at the sides with a 1/4" seam allowance, beginning at the notches and ending 1" above the bottom edge.

6. Press the seams open, including the armholes, and topstitch 1/8" from the seam/fold on both sides.

7. Turn & press the neckline edge inward by 1/4", Wrong Sides together. Repeat, and topstitch with a 1/8" seam allowance.

8. Turn & press a 1/4" hem at the bottom edges of the Baby Top. Repeat, and topstitch with a 1/8" seam allowance.

Baby Top
A-016A

Baby Top - Back
Cut (1) on fold

fold


2"
5cm

1




Baby Top
A-016A

1



Baby Top - Front
Cut (1) on fold

2



Baby Top
A-016A

2

fold

